

AMENDMENTS TO THE CLAIMS

1. (Currently Amended): A telecommunications device, comprising:  
  
a receiver for receiving an incoming call; and  
  
a processor in communication with the receiver, the processor having a call hold module, the call hold module for determining whether to place ~~placing~~ the call on hold prior to the call being answered by a user of the telecommunications device based on a schedule received from the user of the telecommunications device, the schedule including at least one time period during which the incoming call is placed on hold.
2. (Original): The device of claim 1, wherein the device is selected from the group consisting of a wireless telephone and a wireline telephone.
3. (Original): The device of claim 1, wherein the receiver includes an RF transceiver unit.
4. (Original): The device of claim 1, wherein the processor includes a digital signal processor.
5. (Original): The device of claim 1, wherein the processor includes a microcontroller.

6. (Currently Amended): A method of placing an incoming call to a telecommunications device from a calling party on hold prior to being answered by a called party, the method comprising:

receiving one or more parameters of a hold function via a web interface, wherein the parameters are selected from the group consisting of at least a schedule including at least one time period during which the incoming call is placed on hold, and a list including at least one potential calling party from whom incoming calls are placed on hold;

automatically answering the call if the call corresponds to the one or more parameters of the hold function;

playing a message to the calling party; and

connecting the called party to the calling party when the called party answers the call.

7. (Original): The method of claim 6, further comprising determining whether the called party has enabled a hold function.

8. (Original): The method of claim 6, further comprising determining whether the called party has pressed a button on the telecommunications device to enable a hold function.

9. (Original): The method of claim 6, further comprising alerting the called party of the incoming call.

10. (Original): The method of claim 6, further comprising connecting the calling party to a voicemail system when the called party does not answer the call within a predetermined time period.

11. (Original): The method of claim 6, wherein playing a message to the calling party includes playing a message that is resident on a services node of a telecommunications network.

12. (Original): The method of claim 6, wherein playing a message to the calling party includes playing a pre-recorded message stored in a memory device resident on the telecommunications device.

13. (Original): The method of claim 6, further comprising connecting the call to a voicemail system when the called party presses a button on the telecommunications device.

14. (Currently Amended): A telecommunications system, comprising:  
a home location register for storing a profile of a user of a telecommunications device, wherein the profile includes an indication of whether the user is a subscriber to an incoming call hold service implemented by the telecommunications system;

a services node for:

determining whether an incoming call placed to the telecommunications device by a calling party should be placed on hold prior to the call being answered by the user of the telecommunications device according to the incoming call hold service;

placing the incoming call on hold prior to the call being answered;

playing a message to the calling party; and

connecting the telecommunications device to the calling party if the user of the telecommunications device answers the incoming call; and

a mobile switching center for facilitating communication between the telecommunications device, the services node, and the home location register.

~~a telecommunications device in communication with the services node, wherein the services node determines whether calls placed to the telecommunications device should be placed on hold prior to the calls being answered.~~

15. (Original): The system of claim 14, wherein the services node includes an enunciator.

16. (Original): The system of claim 15, wherein the enunciator is for playing a message to a calling party when a call is placed on hold.

17. (Currently Amended): An apparatus, comprising:

means for receiving one or more parameters of a hold function via a web interface, wherein said parameters are selected from the group consisting of at least a schedule including at least one time period during which the incoming call is placed on hold, and a list including at least one potential calling party from whom incoming calls are placed on hold;

means for automatically answering a call placed by a calling party to a called party, if the call corresponds to the one or more parameters;

means for playing a message to the calling party; and

means for connecting the called party to the calling party when the called party answers the call.

18. (Original): The apparatus of claim 17, further comprising means for determining whether the called party has enabled a hold function.

19. (Original): The apparatus of claim 17, further comprising means for determining whether the called party has pressed a button on the telecommunications device to enable a hold function.

20. (Original): The apparatus of claim 17, further comprising means for alerting the called party of the incoming call.